



## The Childhood Schedule from 1 July 2020

Birth	Hepatitis B (usually offered in hospital)
2 months (Can be given from 6 weeks of age)	Diphtheria, tetanus, whooping cough, hepatitis B, polio, <i>Haemophilus influenzae</i> type b (Hib)
	Pneumococcal
	Rotavirus
	Meningococcal B—Aboriginal and Torres Strait Islander children
4 months	Diphtheria, tetanus, whooping cough, hepatitis B,
	polio, <i>Haemophilus influenza</i> e type b (Hib)
	Pneumococcal
	Rotavirus
	Meningococcal B—Aboriginal and Torres Strait Islander children
6 months	Diphtheria, tetanus, whooping cough, hepatitis B, polio, <i>Haemophilus influenzae</i> type b (Hib)
	Pneumococcal—Aboriginal and Torres Strait Islander children in Qld, NT, WA and SA
12 months	Meningococcal ACWY
	Measles, mumps, rubella
	Pneumococcal
	Meningococcal B—Aboriginal and Torres Strait Islander children
18 months	Haemophilus influenzae type b (Hib)
	Measles, mumps, rubella, chickenpox
	Diphtheria, tetanus, whooping cough
	Hepatitis A—Aboriginal and Torres Strait Islander children in Qld, NT, WA and SA
4 years	Diphtheria, tetanus, whooping cough, polio
	Pneumococcal—Aboriginal and Torres Strait Islander children in QId, NT, WA and SA
	Hepatitis A—Aboriginal and Torres Strait Islander children in Qld, NT, WA and SA

Influenza vaccine is funded for:

- Children 6 months and over with specified medical risk conditions.

– All children aged 6 months to less than five years of age.

- Aboriginal and Torres Strait Islander children aged 6 months and over.

Additional meningococcal and pneumococcal vaccines are also NIP funded for people with specified medical risk conditions.

## **Have questions?**

Visit health.gov.au/immunisation

Make an appointment with your GP or other vaccination provider.